

Message

From: Lisa Rector [lrector@nescaum.org]
Sent: 2/18/2020 1:04:13 PM
To: Sanchez, Rafael [Sanchez.Rafael@epa.gov]
CC: Scinta, Robert [scinta.robert@epa.gov]; cindy.heil@alaska.gov; Johnson, Steffan [johnson.steffan@epa.gov]
Subject: RE: Missing test reports

Thank you Rafael for providing these links.

From: Sanchez, Rafael <Sanchez.Rafael@epa.gov>
Sent: Friday, February 14, 2020 2:33 PM
To: Lisa Rector <lrector@nescaum.org>
Cc: Scinta, Robert <scinta.robert@epa.gov>; cindy.heil@alaska.gov; Johnson, Steffan <johnson.steffan@epa.gov>
Subject: RE: Missing test reports

Hi Lisa, please find below the internet links to the test reports you brought to our attention.

- 15-SSW01, 50-SHSSW01, and 50-TRSSW01, England's Stove Works, Inc.
 - https://cdn.shopify.com/s/files/1/2071/6041/files/15-ssw02_intertek_book_sm.pdf?11693997819506966169
- Ladera CAT WRT3920WS, Innovative Hearth Products
 - http://astria.us.com/system/ihp_assets/files/000/000/330/original/Ladera_CAT_Non-CBI_Report.pdf?1519344929
- Montecito Estate CAT and WCT6940WS, Innovative Hearth Products
 - <http://astria.us.com/products/montecito-estate>
 - http://astria.us.com/system/ihp_assets/files/000/000/345/original/Combined_Montecito-B_EPA_Wesite_File.pdf?1578359227
- Q-Tee II Steel, Q-Tee II Glass, and Q-Tee II C, Rais A/S
 - Link can be found here ("Click here for CBI TEST REPORT") <https://us.rais.com/rais-q-tee-ii-with-base.html>
 - https://issuu.com/raisas/docs/0138ws016e_non-cbi_report?e=2005549/57616760
- Focus 320 SBR / Industrial Chimney Company, Incorporated
 - <http://rsf-fireplaces.com/en/focus-sbr-woodburning-fireplace>
- Thelin Parlour T-4000, Thelin
 - Link can be found here (Click on Manual & EPA Info) <https://thelinco.com/product/parlour-t-4000-wood-stove/>
 - https://docs.google.com/gview?embedded=true&url=https://thelinco.com/product/parlour-t-4000-wood-stove/pdf/t-4000-epa-non-cbi-summary-web_2018-1.pdf?v=1.01

We are working with the manufacturer of the Ecovision to ensure the posting of the report. We strive to ensure that each manufacturer posts the Non-CBI test report on its website. Please let me know if you continue having issues finding the reports.

Rafael Sanchez, Ph.D.

Wood Heater Program Lead
Air Branch
Monitoring, Assistance, and Media Programs Division
Office of Compliance
U.S. Environmental Protection Agency (EPA)
Room 7149-D
1200 Pennsylvania Ave., NW
MS:2227A
Washington, DC 20460
202-564-7028
202-564-0050 fax
Teleworking on Mondays and Fridays.
You can reach me at 571-732-2018

The Excel MS EPA Certified Wood Heater List has been retired. The Agency has now developed a new fully searchable [EPA Certified Wood Heater Database](https://www.epa.gov/compliance/epa-certified-wood-heater-database) or <https://www.epa.gov/compliance/epa-certified-wood-heater-database>. Please try it and let us know!

From: Lisa Rector <lrector@nescaum.org>
Sent: Wednesday, January 29, 2020 8:44 AM
To: Sanchez, Rafael <Sanchez.Rafael@epa.gov>
Cc: Scinta, Robert <scinta.robert@epa.gov>; Lischinsky, Robert <Lischinsky.Robert@epa.gov>; cindy.heil@alaska.gov; Johnson, Steffan <johnson.steffan@epa.gov>
Subject: Missing test reports

Rafael, I have been trying to locate certification test reports for the following seven stoves that are certified for Step 2 under the residential wood heater NSPS.

- Kiwi VcV 2.1, EcoVision Ltd.
- 15-SSW01, 50-SHSSW01, and 50-TRSSW01, England's Stove Works, Inc.
- Ladera CAT WRT3920WS, Innovative Hearth Products
- Montecito Estate CAT and WCT6940WS, Innovative Hearth Products
- Q-Tee II Steel, Q-Tee II Glass, and Q-Tee II C, Rais A/S
- Focus 320 SBR and Onyx SBR, RSF / Industrial Chimney Company, Incorporated
- Thelin Parlour T-4000, Thelin

In some cases, I found EPA letters and/or old test reports but I could not locate the non-CBI test report as required by the rule. Can you please advise the URL that EPA used to verify compliance with the rule requirement?

Sincerely,

Lisa Rector



Lisa Rector, Policy and Program Director at **NESCAUM**

89 South Street, Suite 602, Boston, Massachusetts, 02111 | 802.899.5306 | 617.259.2095 | Fax: 617.742.9162
| lrector@nescaum.org

From: Lisa Rector <lrector@nescaum.org>
Sent: Friday, January 31, 2020 5:24 PM
To: Sanchez, Rafael <Sanchez.Rafael@epa.gov>
Cc: Scinta, Robert <scinta.robert@epa.gov>; Lischinsky, Robert <Lischinsky.Robert@epa.gov>; cindy.heil@alaska.gov;
Johnson, Steffan <johnson.steffan@epa.gov>
Subject: RE: Missing test reports

Thanks Rafael. If you find these reports or have notification that they have been posted, can you please let me know so we can obtain them for review? Thanks!

From: Sanchez, Rafael <Sanchez.Rafael@epa.gov>
Sent: Friday, January 31, 2020 4:16 PM
To: Lisa Rector <lrector@nescaum.org>
Cc: Scinta, Robert <scinta.robert@epa.gov>; Lischinsky, Robert <Lischinsky.Robert@epa.gov>; cindy.heil@alaska.gov;
Johnson, Steffan <johnson.steffan@epa.gov>
Subject: RE: Missing test reports

Hi Lisa,

Thank you for your January 29, 2020 email regarding test reports. We will follow up with those manufacturers and request the posting of the test reports per the 2015 WH rule if they are missing. If you have any questions, please let me know.

Rafael Sanchez, EPA

From: Lisa Rector <lrector@nescaum.org>
Sent: Wednesday, January 29, 2020 8:44 AM
To: Sanchez, Rafael <Sanchez.Rafael@epa.gov>
Cc: Scinta, Robert <scinta.robert@epa.gov>; Lischinsky, Robert <Lischinsky.Robert@epa.gov>; cindy.heil@alaska.gov;
Johnson, Steffan <johnson.steffan@epa.gov>
Subject: Missing test reports

Rafael, I have been trying to locate certification test reports for the following seven stoves that are certified for Step 2 under the residential wood heater NSPS.

- Kiwi VcV 2.1, EcoVision Ltd.
- 15-SSW01, 50-SHSSW01, and 50-TRSSW01, England's Stove Works, Inc.
- Ladera CAT WRT3920WS, Innovative Hearth Products
- Montecito Estate CAT and WCT6940WS, Innovative Hearth Products
- Q-Tee II Steel, Q-Tee II Glass, and Q-Tee II C, Rais A/S
- Focus 320 SBR and Onyx SBR, RSF / Industrial Chimney Company, Incorporated
- Thelin Parlour T-4000, Thelin

In some cases, I found EPA letters and/or old test reports but I could not locate the non-CBI test report as required by the rule. Can you please advise the URL that EPA used to verify compliance with the rule requirement?

Sincerely,

Lisa Rector



Lisa Rector, Policy and Program Director at **NESCAUM**

89 South Street, Suite 602, Boston, Massachusetts, 02111 | 802.899.5306 | 617.259.2095 | Fax: 617.742.9162
| lrector@nescaum.org